certnz

Quarterly Report: Data Landscape

Q3 2020

New Zealand Government

/// Contents

1. Introduction

The CERT NZ Data Landscape report for Q3 2020 provides a standardised set of results and graphs, and an analysis of the latest trends. Analytical comment is provided where meaningful or interesting trends were identified.

The report covers quarter 3(calendar year) 2020; from 1 July – 30 September 2020, and is supplemented by the:

- CERT NZ Quarterly Report: Highlights Q3 2020, providing an overview and commentary of the cyber security incidents reported during quarter 3 of 2020.

Both documents can be found on our website at: https://www.cert.govt.nz/about/quarterly-report/

2. Incidents and referrals

Incident summary

Between 1 July and 30 September 2020, 2610 incidents were reported to CERT NZ.

Of the 2610 incidents reported:

- 2251 (86%) were responded to directly by CERT NZ
- 286 (11%) were referred to New Zealand Police
- 25 (1%) were referred to Consumer Protection
- 19 (0.7%) were referred to the Department of Internal Affairs (DIA)
- 18 (0.7%) were referred to the New Zealand Telecommunications Forum (TCF)
- 9 (0.3%) were referred to the Commerce Commission
- 1 (0.04%) was referred to the Office of the Privacy Commissioner
- 1 (1.04%) was referred to the National Cyber Security Centre

The decrease in the proportion of incidents referred to NZ Police during Q3 (11% down from 18%) is due to the increase in relative volumes of CERT NZ reports.

Table 1: Incident partner referrals

2251	responded to directly by CERT NZ
286	referred to NZ Police
25	referred to Consumer Protection
19	referred to Department of Internal Affairs
18	referred to New Zealand Telecommunications Forum
9	referred to Commerce Commission
1	referred to the National Cyber Security Centre
1	referred to Office of the Privacy Commissioner
2610	**Total**

Incidents per quarter

Figure 1: Number of incidents reported by quarter

3. Reporting by incident category

Breakdown by category

CERT NZ responded to 886 Malware incidents during Q3 2020, a significant 230% increase compared to the average per quarter over the previous 12 months of 22.

Reports of phishing and credential harvesting have continued to show consistent growth over the past four quarters, including a quarter on quarter increase of 29% for quarter 3.

CERT NZ received a small number of Denial of Service incident reports in the quarter, however our story in the highlights report shows that based on data provided by the Shadow Server Foundation, we can see that there were a considerable number of DoS incidents affecting New Zealand organisations in Q3 2020.

For more information about the incident reports received, read CERT NZ Quarterly Report: Highlights Q3 2020 on https://www.cert.govt.nz/about/quarterly-report/

**Figure 2: Breakdown by incident category**

Breakdown of scam and fraud incidents

Of the incidents responded to during Q3, 423 (16%) were about scams and fraud. The scam and fraud category consistently features in the top 3 categories of incidents reported to CERT NZ.

In 2019, CERT NZ began breaking down scam reports into sub-categories, to gain further insights into the types of online scams and fraud affecting New Zealanders. The graph below shows the number of reports per sub-category.

Figure 3: Breakdown of scam and fraud categories

Of particular note during Q3 there was a return to normal levels of Extortion/blackmail scam responded to by CERT NZ after a significant spike in Q2.

| Scam category	Number of Incidents
Buying, selling or donating goods	216
Extortion/blackmail scam	46
Tech scam phone calls	29
Asked to pay money upfront	20
Dating or romance scam	20
Scam phone calls	19
Unauthorised money transfer	17
A new job or business opportunity offer	16
Cryptocurrency investment	11
Fake lottery, prize or grant scam	11
Fake government services scam	6
Buying, selling or donating services	5
Investment Scams	4
Inheritance scam	2
Occupational Fraud	1

Breakdown of incidents affecting individuals

In Q3, 841 (32%) incidents responded to by CERT NZ identified as affecting individuals.

This volume is in line with historical averages, though is proportionally lower due to 815 of 886 Malware reports during Q3 not able to be identified as relating to either an individual or an organisation.

Figure 4: Breakdown of incidents affecting individuals

Breakdown of incidents affecting organisations

15% (379) of incidents responded to during Q3 were about incidents affecting organisations, compared with 53% (747) in Q2. Phishing and Credential harvesting continues to be the largest category of incident reported to us by organisations - accounting for 70% of reports by organisations.

**Figure 5: Breakdown of incidents affecting organisations**

Breakdown of reported vulnerabilities

A vulnerability is a weakness in software, hardware, or an online service that can be exploited to allow access to information or damage a system. Early discovery of vulnerabilities means they can be addressed to prevent future incidents.

CERT NZ received 15 vulnerability reports in Q3, down from 23 in Q2.

Figure 6: Breakdown of reported vulnerabilities

Some vulnerability reports come under CERT NZ's Coordinated Vulnerability Disclosure (CVD) policy. This is used when the person reporting the vulnerability doesn't want, or has been unable, to contact the vendor directly themselves. CERT NZ received five vulnerability reports using the CVD policy[1], making up 33% of the vulnerability reports received in Q3.

Figure 7: Proportion of coordinated vulnerability disclosures

---

https://www.cert.govt.nz/it-specialists/guides/reporting-a-vulnerability/

4. Impacts

Direct financial loss

Direct financial losses totaled $6,377,468 during Q3. Of note, whilst this is a 255% increase on Q2 it is in line with previous quarter's recorded financial loss values.

Figure 8: Direct financial losses per quarter

Distribution of direct financial losses

Of the 281 incidents responded to by CERT NZ during Q3 which provided a financial loss value;

- 65% were below $500, compared to 60% for the previous 12 months.
- 13 were $100,000 and over, 9 greater than Q2 2020.

Of the 13 incidents responded to during Q3 involving losses of $100,000 or more:

- Five involved to the unauthorised transfer of money, each of these incidents related to businesses having their email accounts compromised.
- Two related to 'A new job or business opportunity'

The remaining five large loss incidents reported to CERT NZ were from a range of scam types including crypto currency, investment, fake lottery or prizes and romance scams.

Figure 9: Distribution of direct financial losses

Types of loss

281 incidents responded to by CERT NZ during Q3 indicated financial loss had occurred. Additionally CERT responded to incidents where five other types of loss occurred; including 50 incidents of data loss, 20 with operational impacts and 10 indicating reputational loss.

Reported losses are broken down by type, as follows:

Table 2: Types of loss

11% **Financial loss**

This not only includes money lost as a direct result of the incident, but also includes the cost of recovery, like the cost of contracting IT security services or investing in new security systems following an incident (Q1 and Q2 2020: 16%).

0% **Reputational loss**

Damage to the reputation of an individual or organisation as a result of the incident (Q1 and Q2 2020: 1%).

2% **Data loss**

Loss or unauthorised copying of data, business records, personal records and intellectual property (Q1 and Q2 2020: 3%).

0% **Technical damage**

Impacts on services like email, phone systems or websites, resulting in disruption to a business or organisation (Q1 and Q2 2020: 0%).

1% **Operational impacts**

The time, staff and resources spent on recovering from an incident, taking people away from normal business operations (Q1 and Q2 2020: 1%).

1% **Other**

Includes types of loss not covered in the other categories (Q1 and Q2 2020:: 1%).

5. Demographics

Reporting by sector

Reports from the finance and insurance sector accounted for 60% of the 379 reports about incidents affecting organisations.

Figure 10: Reports by sector

Figure 11: Breakdown by sector and incident category

The largest reporting sector; Financial and insurance services reported 98% of their incidents related to phishing and credential harvesting. Rental, Hiring and Real Estate Services, the smallest reporting sector with a single report of Malware.

Legend:
- Phishing & credential harvesting
- Ransomware
- Denial of service
- Scams & fraud
- Website compromise
- Other
- Unauthorised access
- Suspicious network traffic
- Reported vulnerability
- Malware

Reporting by region

There was a significant decrease in volume of reports assigned to the Auckland region during Q3 (373) compared to Q2 (724) due to a change in how CERT NZ automatically assigns regions to National organisations.

Figure 12: Breakdown of reports by region

Reporting by age

Of the 2610 incidents responded to by CERT NZ during Q3, 877 (33%) provided their date of birth.

Figure 13: Incidents affecting individuals – breakdown by age

Figure 14: Distribution of direct financial losses reported by age

During Q3 2020 CERT NZ responded to 534 (20%) incidents, where a date of birth and a loss amount was provided. Interestingly, Q3 has seen a significant increase in losses impacting the 45-55 age bracket.

Table 3: Distribution of direct financial losses reported by age

Under 18	18 - 24	25 -34	35 - 44	45 - 54	55 - 64	65 and over
$44,000	$94,000	$247,000	$577,000	$1,555,000	$512,000	$483,000

6. About CERT NZ

CERT NZ is New Zealand's Computer Emergency Response Team, and works to support businesses, organisations and individuals who are affected (or may be affected) by cyber security incidents. CERT NZ provides trusted and authoritative information and advice, while also collating a profile of the threat landscape in New Zealand. See www.cert.govt.nz for more information.

A word about our information

Reporting quarters are based on the calendar year, 1 January to 31 December.

Incidents are reported to CERT NZ by individuals and organisations. They choose how much or little information they are comfortable in providing, often about very sensitive incidents.

Sometimes CERT NZ may ask for additional information about an incident to gain a better understanding, or if we might need to do technical investigations. Before sharing specific details about an incident, CERT NZ will seek the reporting party's consent.

CERT NZ is not always able to verify the information we receive, though we endeavour to do so, particularly when dealing with significant cyber security incidents.

All information provided to CERT NZ is treated in accordance with our Privacy and Information Statement as published on our website, and this report is subject to the CERT NZ standard disclaimer.

The sectors we use are based on Stats NZ's New Zealand Industry Standard Industry Output Categories.

Our regional reporting uses the sixteen regions of the Local Government Act 1974.

Age is calculated from the date of birth provided and the date we received the incident report. The 'reporting by age' data does not include reported vulnerabilities, as those are from individuals proactively reporting issues, rather than having been affected by them.

Reporting an incident to CERT NZ

Anyone can report a cyber security incident to CERT NZ, from IT professionals and security personnel to members of the public, businesses, and government agencies. We also receive incident notifications from our international CERT counterparts when they identify affected New Zealand organisations in their investigations.

To report a cyber security incident, go to our website www.cert.govt.nz or call our freephone number 0800 CERT NZ (0800 2378 69). Your report will be received by an expert who can advise you on the best next steps to take.

With your permission, we may refer incidents to our partners such as the National Cyber Security Centre for national security threats, NZ Police for cybercrime, the Department of Internal Affairs for unsolicited electronic mail (spam), and Netsafe for cyberbullying.

Incident categories we use

We use broad categories to group incident reports. These will be refined as the data set grows.

The **incident** report categories are:

Botnet traffic . Botnets are networks of infected computers or devices that can be remotely controlled as a group without their owners' knowledge and are often used to perform malicious activities such as sending spam, or launching Distributed Denial of Service attacks.

C & C server hosting. A system used as a command-and-control point by a botnet.

Denial of Service (DoS).An attack on a service, network or system from a single source that floods it with so many requests that it becomes overwhelmed and either stops completely or operates at a significantly reduced rate. Assaults from multiple sources are referred to as Distributed Denial of Service attacks (DDoS).

Malware . Short for malicious software. Malware is designed to infiltrate, damage or obtain information from a computer system without the owner's consent. Commonly includes computer viruses, worms, Trojan horses, spyware and adware.

Phishing and credential harvesting . Types of email, text or website attacks designed to convince users they are genuine, when they are not. They often use social engineering techniques to convince users of their authenticity and trick people into giving up information, credentials or money.

Ransomware. A common malware variant with a specific purpose. If installed (usually by tricking a user into doing so, or by exploiting a vulnerability) ransomware encrypts the contents of the hard drive of the computer it is installed on, and demands the user pay a ransom to recover the files.

Reported vulnerabilities. Weaknesses or vulnerabilities in software, hardware or online service, which can be exploited to cause damage, or gain access, to information. Some are reported to CERT NZ under our Coordinated Vulnerability Disclosure (CVD) service.

Scams and fraud. Computer-enabled fraud that is designed to trick users into giving up money. This includes phone calls or internet pop-up advertisements designed to trick users into installing fake software on their computers.

Suspicious network traffic. Detected attempts to find insecure points or vulnerabilities in networks, infrastructure or computers. Attackers typically conduct a range of reconnaissance activities before conducting an attack, which are sometimes detected by security systems and can provide early warning for defenders.

Unauthorised access . Successful unauthorised access can enable an attacker to conduct a wide range of malicious activities on a network, infrastructure or computer. These activities generally fall under one of the three impact categories:

- compromise of the confidentiality of information
- improper modification affecting the integrity of a system
- degradation or denial of access or service affecting its availability.

Website compromise. The compromise, defacement or exploitation of websites by attackers for malicious purposes, such as spreading malware to unsuspecting website visitors.

Vulnerability categories we use

The **vulnerability** report categories we currently use are:

Applications or software. Vulnerabilities discovered in software products that could be exploited by a potential attacker. They are relatively common and, when discovered, are typically patched or mitigated through controls.

Authentication, authorisation and accounting. Common terminology for controlling access to computer resources, enforcing policies, auditing usage, and providing the information necessary to account for services. Vulnerabilities, if exploited to disrupt these functions, would have considerable impacts on the security of a network, system or device.

Human introduced. Vulnerabilities arising from human-introduced errors, misconfiguration or unintentional circumvention of security controls.

IoT devices. Internet of Things devices are internet-connected devices used to perform distributed functions over a network.

Mobile devices. Includes phones, handheld devices, hardware and mobile operating systems.

Networking. Covers vulnerabilities in network equipment, such as routers, gateways and firewalls, or the software and tools used to manage networks. This also includes vulnerabilities which may exist in routing, which could expose network traffic to compromise.

Operating systems or platforms. Low level software which provides, or supports, the basic operating environment of a computer.

PCs and laptops. Desktop and laptop computer hardware.

Printers, webcams and other peripherals. Hardware components used to support PC or laptop functions.

Servers (other than websites). Other kinds of enterprise servers organisations would typically use, such as mail, application and proxy servers. Vulnerabilities can be found in the hardware or firmware, and can also arise from misconfiguration or failures in security management.

Websites or webservers. Includes vulnerabilities in websites themselves, or the infrastructure they run on. An example would be unpatched websites or webservers which would potentially give an attacker the ability to compromise a website.

Malware categories we use

Hare some of the key terms we use when talking about malware:

Malware – is short for "malicious software". Malware is designed to infiltrate, damage or obtain information from a computer system without the owner's consent.

Virus – is malicious software or code designed to infect and spread throughout a computer after being tricked into being run by a user.

Worm – a worm is malicious software that self-replicates and is designed to infect other connected computers or networks without any interaction from a user.

Ransomware - a common malware variant with a specific purpose. If installed (usually by tricking a user into doing so, or by exploiting a vulnerability) ransomware encrypts the contents of the hard drive of the computer it is installed on, and demands the user pay a ransom to recover the files.

Trojan – malicious software that attempts to hide its malicious code by masquerading as an legitimate program or file – such as a document or excel attachment to an email that actually is actually executable malware.

Adware – malicious software that infects computers in order to designed to display advertisements, redirect search requests to advertising websites, harvest marketing-type data about the user or even stealthily browse to and click through web advertising without the users knowledge to artificially increase clicks and generate advertising revenue.

Spyware – as its name suggests, is designed to spy on what a user is doing. Hiding in the background on a computer, this type of malware will collect information without the user knowing, such as credit card details, passwords and other sensitive information.

Botnet – a group of malware infected computers able to be controlled remotely by an attacker as a group and at scale.

Variants – over time, malware types have been added to by their original developers and others, resulting in different types of malware evolving from a common base. The new 'variants' might be closely related to other malware and are often grouped into 'families'. An example would be the Andromeda malware, which shares some features of earlier malwares like Dridex and Dorkbot.

Module/Stages – as a method of avoiding detection, malware authors have started breaking up malware into modules and stages. Typically, a smaller-sized initial stage is used to conduct the initial compromise which, once established, pulls down additional tools at different stages as required for the attacker's particular objectives.

Persistence - a lot of malware is designed to establish itself on systems and networks in a way that makes it very hard to remove, even if detected. Establishing persistence is one of the very first goals malware seeks to achieve when it is first executed on a system.

Remote Access Trojan (RAT) – a type of malware that, once executed, allows an attacker remote access to the infected computer or system.

Web shell - a web shell is able to be uploaded to a web server to allow remote access to the web server, including the web server's file system. This can enable an attacker to gain remote access to a computer system via the internet, allowing the web shell to act as a remote access Trojan.

Keylogger - a programme that records users' keyboard inputs without their knowledge, often to steal credentials like passwords.